


Package Dimensions, DFN 1.6 x 4.0, 16L




Dimensions in millimeters

Dimensions in millimeters

Symbols	Min.	Nom.	Max.
A	0.70	0.75	0.80
A1	0.00	0.02	0.05
b	0.18	0.25	0.30
c	0.15	0.20	0.25
D	4.00 BSC		
D1	3.05	3.20	3.30
E	1.60 BSC		
E1	0.30	0.45	0.55
e	0.50 BSC		
L	0.20	0.30	0.40
R	0.10		
aaa	0.15		
bbb	0.10		
ccc	0.10		
ddd	0.08		

Symbols	Min.	Nom.	Max.
A	0.028	0.030	0.031
A1	0.000	0.001	0.002
b	0.007	0.010	0.012
c	0.006	0.008	0.010
D	0.157 BSC		
D1	0.120	0.126	0.130
E	0.063 BSC		
E1	0.012	0.018	0.022
e	0.020 BSC		
L	0.008	0.012	0.016
R	0.004		
aaa	0.006		
bbb	0.004		
ccc	0.004		
ddd	0.003		

RECOMMENDED LAND PATTERN



Notes:

1. Dimensions and tolerancing conform to ASME Y14.5M-1994.
2. All dimensions are in millimeters.
3. Dimension b applies to metallized terminal and is measured between 0.10mm and 0.30mm from the terminal tip. If the terminal has the optional radius on the other end of the terminal, the dimension b should not be measured in that radius area.
4. Coplanarity ddd applies to the terminals and all other bottom surface metallization.