






DFN5x6A_8L_EP2_S PACKAGE OUTLINE




BOTTOM VIEW



DFN5x6A_8L_EP2_S PACKAGE OUTLINE

RECOMMENDED LAND PATTERN (UNIT: mm)



SYMBOL	DIMENSIONS IN MILLIMETERS			DIMENSIONS IN INCHES		
	MIN.	NOM.	MAX.	MIN.	NOM.	MAX.
A	0.70	0.75	0.80	0.0276	0.0295	0.0315
A1	0.00	0.02	0.05	0.000	0.001	0.002
A3	0.203 REF.			0.008 REF.		
b	0.45	0.50	0.55	0.018	0.020	0.022
D	5.00 BSC			0.197 BSC		
D1	3.80	3.95	4.05	0.078	0.084	0.088
E	6.00 BSC			0.236 BSC		
E1	0.75	0.90	1.00	0.030	0.035	0.039
E2	2.58 REF.			0.102 REF.		
E3	0.35	0.50	0.60	0.014	0.020	0.024
E4	1.05	1.20	1.30	0.041	0.047	0.051
E5	1.93	2.08	2.18	0.076	0.082	0.086
Ⓢ	1.27 BSC			0.050 BSC		
L	0.30	0.40	0.50	0.012	0.016	0.020
L1	0.50 REF.			0.020 REF.		
L2	0.90 REF.			0.035 REF.		
L3	0.52 REF.			0.020 REF.		
L4	0.92 REF.			0.036 REF.		
aaa	0.15			0.006		
bbb	0.10			0.004		
ccc	0.10			0.004		
ddd	0.08			0.003		



DFN5x6A_8L_EP2_S PACKAGE OUTLINE

Note:

1. Dimensioning and tolerancing conform to ASME Y14.5M-1994.
2. All dimensions are in millimeters.
3. The location of the terminal #1 identifier and terminal numbering convention conforms to JEDEC publication 95 SPP-002.
4. Dimension b applies to metallized terminal and is measured between 0.15mm and 0.30mm from the terminal tip. If the terminal has the optional radius on the other end of the terminal, the dimension b should not be measured in that radius area.
5. Coplanarity applies to the terminals and all other bottom surface metallization.
6. Drawing shown are for illustration only.
7. The dimensions with * are for reference only.