








T2PAK_7L Package Outline




TOP VIEW

SIDE VIEW

BOTTOM VIEW




SIDE VIEW



DETAIL X

LAND PATTERN RECOMMENDATIONS



SYMBOLS	DIMENSION IN MILLIMETRES			DIMENSION IN INCHS		
	MIN.	NOM.	MAX.	MIN.	NOM.	MAX.
A	3.40	3.50	3.60	0.134	0.138	0.142
A1		0.05			0.002	
b	0.50	0.60	0.70	0.020	0.024	0.028
b2	0.70	0.80	0.90	0.028	0.031	0.035
b3	0.80	0.90	0.98	0.031	0.035	0.039
c	0.40	0.50	0.60	0.016	0.020	0.024
c2	0.40	0.50	0.60	0.016	0.020	0.024
D	11.70	11.80	11.90	0.461	0.465	0.469
D1	7.78	7.88	7.98	0.306	0.310	0.314
D2	0.24	0.34	0.44	0.009	0.013	0.017
E	13.90	14.00	14.10	0.547	0.551	0.555
E1	12.30	12.40	12.50	0.484	0.488	0.492
E2	4.45	4.50	4.55	0.175	0.177	0.179
E3	5.45	5.50	5.55	0.215	0.217	0.219
e		1.27			0.050	
H	18.00	18.58	19.00	0.709	0.731	0.748
L	2.42	2.52	2.62	0.095	0.099	0.103
L1		3.04			0.120	
L2	0.90	1.00	1.10	0.035	0.039	0.043
L3		0.26			0.010	
L4	0.075	0.125	0.175	0.003	0.005	0.007
L5	2.38	2.48	2.58	0.094	0.098	0.102
L6	2.14	2.24	2.34	0.084	0.088	0.092
L7	4.44	4.54	4.64	0.175	0.179	0.183
L8	3.475	3.625	3.775	0.137	0.143	0.149
N1	5.46	5.56	5.66	0.215	0.219	0.223
N2	0.25	0.30	0.35	0.010	0.012	0.014
N3	0.80	0.90	1.00	0.031	0.035	0.039
N4	1.00	1.10	1.20	0.039	0.043	0.047
N5	1.40	1.50	1.60	0.055	0.059	0.063
N6	2.185	2.285	2.385	0.086	0.090	0.094
N7	2.10	2.20	2.30	0.083	0.087	0.091
G1	1.90	2.00	2.10	0.075	0.079	0.083
G2	0.41	0.51	0.61	0.016	0.020	0.024
T1		0.60			0.024	
T2		1.00			0.039	
T3	0.60	0.70	0.80	0.024	0.028	0.031
V1	0°	5°	8°	0°	5°	8°
V2	0°	6°	8°	0°	6°	8°
V3		100°			100°	
aaa		0.10			0.004	

NOTES:

1. DIMENSION AND TOLERANCE CONFORM TO ASME Y14.5M.
2. CONTROLLING DIMENSIONS : MILLIMETER. CONVERTED INCH DIMENSION ARE NOT NECESSARILY EXACT.
3. COPLANARITY APPLIES TO THE EXPOSED PADS AS WELL AS THE TERMINALS.
4. DIMENSIONS D AND E DO NOT INCLUDE MOLD FLASH, PROTRUSIONS OR GATE BURRS.