






DFN2x2C_8L_EP1_S PACKAGE OUTLINE



TOP VIEW




BOTTOM VIEW



SIDE VIEW

RECOMMENDED LAND PATTERN



UNIT: mm

SYMBOLS	DIM. IN MM			DIM. IN INCH		
	MIN.	NOM.	MAX.	MIN.	NOM.	MAX.
A	0.700	0.075	0.800	0.028	0.030	0.032
A1	0.000	0.020	0.050	0.000	0.001	0.002
b	0.150	0.200	0.250	0.006	0.008	0.010
c	---	0.20REF	---	---	0.008REF	---
D	1.900	2.000	2.100	0.075	0.079	0.083
D1	1.500	1.600	1.700	0.059	0.063	0.067
D2	1.600	1.700	1.800	0.063	0.067	0.071
E	1.900	2.000	2.100	0.075	0.079	0.083
E1	0.415	0.465	0.515	0.016	0.018	0.020
E2	1.265	1.365	1.465	0.050	0.054	0.058
E3	0.700	0.750	0.800	0.028	0.030	0.032
e	0.50BSC			0.020BSC		
L	0.200	0.250	0.300	0.008	0.010	0.012

NOTE

1. CONTROLLING DIMENSION IS MILLIMETER.
CONVERTED INCH DIMENSIONS ARE NOT NECESSARILY EXACT.
2. THIS PACKAGE WAS QUALIFIED USING IR REFLOW PROCESS (JEDEC STANDARD). FOR USAGE IN OTHER SOLDERING PROCESSES, PLEASE CONTACT LOCAL AOS REPRESENTATIVES.